




CEMENT CATALOGUE #1

ACHIEVE THE MODERN AND INDUSTRIAL EFFECTS OF CONCRETE WITHOUT THE HASSLE OF CONCRETE POURING. TONES RANGING FROM LIGHT TO DARK AND EXTRA-LARGE SIZES ARE AVAILABLE, OFFERING A STYLISH, MINIMALIST LOOK. CHOOSE FROM A WIDE VARIETY OF TILES THAT WILL COMPLEMENT YOUR INTERIOR. OUR COLLECTION IS HANDMADE IN THE UK OR SOURCED FROM A GLOBAL NETWORK OF ARTISAN SUPPLIERS.

Abstract

Porcelánico / Porcelain tiles


60 x 120 cm. — 23,62" x 47,24"
 80 x 80 cm. — 31,50" x 31,50"
 60 x 60 cm. — 23,62" x 23,62"



Abstract Sand
 60 x 60 cm. Rectificado PR6060L
 60 x 60 cm. Anti-Slip Rect. PR6060R




Abstract Sand Lapado
 60 x 60 cm. Rect. PR6060C



Abstract Sand
 80 x 80 cm. Rectificado PR8080L
 80 x 80 cm. Anti-Slip Rectificado PR8080R



Abstract Sand Lapado
 80 x 80 cm. Rectificado PR8080C



Abstract Sand
 60 x 120 cm. P6012L
 60 x 120 cm. Anti-Slip P6012R



Abstract Sand Lapado
 60 x 120 cm. P6012C

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
80 x 80 Natural RC8080	10 x 80	31	14
80 x 80 Lapado RC8080	10 x 80	33	14
60 x 120 Natural RC6012	10 x 60	29	15
60 x 120 Lapado RC6012	10 x 60	31	15
60 x 60 Natural RC6060	10 x 60	24	15
60 x 120 Lapado RC6060	10 x 60	26	15

Se aconseja uso del Sistema Nivelado
 We recommend using Levelling System to lay the tiles




Pavimento / Floor Tile: Abstract Sand 60 x 60 cm.

Abstract

Porcelánico / Porcelain tiles

60 x 120 cm. — 23,62" x 47,24"
 80 x 80 cm. — 31,50" x 31,50"
 60 x 60 cm. — 23,62" x 23,62"




Abstract Greige
 60 x 60 cm. Rectificado PR6060R
 60 x 60 cm. Anti-Slip Rect. PR6060E




Abstract Greige Lapado
 60 x 60 cm. Rectificado PR6060RC



Abstract Greige
 80 x 80 cm. Rectificado PR8080R
 80 x 80 cm. Anti-Slip Rect. PR8080E



Abstract Greige Lapado
 80 x 80 cm. Rectificado PR8080RC



Abstract Greige
 60 x 120 cm. P6012R
 60 x 120 cm. Anti-Slip P6012E



Abstract Greige Lapado
 60 x 120 cm. P6012RC

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
80 x 80 Natural RC8080	10 x 80	31	14
80 x 80 Lapado RC8080	10 x 80	33	14
60 x 120 Natural RC6012	10 x 60	29	15
60 x 120 Lapado RC6012	10 x 60	31	15
60 x 60 Natural RC6060	10 x 60	24	15
60 x 120 Lapado RC6060	10 x 60	26	15

Se aconseja uso del Sistema Nivelado
 We recommend using Levelling System to lay the tiles




Abstract Greige 60 x 120 cm. — Pavimento / Floor Tile: Abstract Greige 80 x 80 cm.


Abstract

Porcelánico / Porcelain tiles

60 x 120 cm. — 23,62" x 47,24"
 80 x 80 cm. — 31,50" x 31,50"
 60 x 60 cm. — 23,62" x 23,62"



Abstract Silver
 60 x 60 cm. Rectificado PR6060L
 60 x 60 cm. Anti-Slip Rect. PR6060R



Abstract Silver Lapado
 60 x 60 cm. Rectificado PR6060C



Abstract Silver
 80 x 80 cm. Rectificado PR8080L
 80 x 80 cm. Anti-Slip Rect. PR8080R



Abstract Silver Lapado
 80 x 80 cm. Rectificado PR8080C



Abstract Silver
 60 x 120 cm. P6012L
 60 x 120 cm. Anti-Slip P6012R



Abstract Silver Lapado
 60 x 120 cm. P6012C

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
80 x 80 Natural RC8080	10 x 80	31	14
80 x 80 Lapado RC8080	10 x 80	33	14
60 x 120 Natural RC6012	10 x 60	29	15
60 x 120 Lapado RC6012	10 x 60	31	15
60 x 60 Natural RC6060	10 x 60	24	15
60 x 120 Lapado RC6060	10 x 60	26	15

Se aconseja uso del Sistema Nivelado
 We recommend using Levelling System to lay the tiles




Abstract Silver 60 x 120 cm. — Pavimento / Floor Tile: Abstract Silver 60 x 120 cm.


Abstract

Porcelánico / Porcelain tiles

60 x 120 cm. — 23,62" x 47,24"
 80 x 80 cm. — 31,50" x 31,50"
 60 x 60 cm. — 23,62" x 23,62"



Abstract Graphite
 60 x 60 cm. Rectificado PR6060R
 60 x 60 cm. Anti-Slip Rect. PR6060E



Abstract Graphite Lapado
 60 x 60 cm. Rectificado PR6060RC




Abstract Graphite
 80 x 80 cm. Rectificado PR8080R
 80 x 80 cm. Anti-Slip Rect. PR8080E



Abstract Graphite Lapado
 80 x 80 cm. Rectificado PR8080RC



Abstract Graphite
 60 x 120 cm. P6012R
 60 x 120 cm. Anti-Slip P6012E



Abstract Graphite Lapado
 60 x 120 cm. P6012RC

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
80 x 80 Natural RC8080	10 x 80	31	14
80 x 80 Lapado RC8080	10 x 80	33	14
60 x 120 Natural RC6012	10 x 60	29	15
60 x 120 Lapado RC6012	10 x 60	31	15
60 x 60 Natural RC6060	10 x 60	24	15
60 x 120 Lapado RC6060	10 x 60	26	15

Se aconseja uso del Sistema Nivelado
 We recommend using Levelling System to lay the tiles




Abstract Graphite Anti-Slip 60 x 60 cm.


Abstract

Pasta blanca / White body tiles


30 x 90 cm. — 11,81" x 35,43"
 30 x 60 cm. — 11,81" x 23,62"
 60 x 60 cm. — 23,62" x 23,62"



Abstract Sand
30 x 90 cm. WB3090L



Kirat Abstract Sand
30 x 90 cm. WB3090R



Abstract Greige
30 x 90 cm. WB3090L



Kirat Abstract Greige
30 x 90 cm. WB3090R




Abstract Silver
30 x 90 cm. WB3090L




Kirat Abstract Silver
30 x 90 cm. WB3090R




Pavimento coordinado
Coordinated floor tiles



Abstract Sand
60 x 60 cm.
Rectificado
PR6060L



Abstract Greige
60 x 60 cm.
Rectificado
PR6060R



Abstract Silver
60 x 60 cm.
Rectificado
PR6060L



Abstract Silver 30 x 90 cm. Kirat Abstract Silver 30 x 90 cm.. — Pavimento / Floor Tiles: Abstract Silver 60 x 60 cm. Rectificado


Cemento / Cement

Formatos disponibles / Available sizes

Betonhome


Porcelánico / Porcelain tiles

60 x 120 cm. — 23,62" x 47,24"
60 x 60 cm. — 23,62" x 23,62"
30 x 90 cm. — 11,81" x 35,43"



Betonhome Pearl
60 x 120 cm.

P6012L



Betonhome Grey
60 x 120 cm.

P6012L



Rodapié Corte / Cut Skirting	SIZE	TR	PKG
60 x 120 Natural RC6012	10 x 60	29	15

Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to lay the tiles



Betonhome Pearl 60 x 120 cm. — Pavimento / Floor Tiles: Betonhome Pearl 60 x 120 cm.

Betonhome

Pasta blanca / White body tiles

30 x 90 cm. — 11,81" x 35,43"
 60 x 60 cm. — 23,62" x 23,62"
 60 x 120 cm. — 23,62" x 47,24"




Betonhome Pearl
30 x 90 cm. WB3090L



Betonhome Grey
30 x 90 cm. WB3090L



Magna Betonhome Pearl
30 x 90 cm. WB3090R



Magna Betonhome Grey
30 x 90 cm. WB3090R



Pavimento coordinado
Coordinated floor tiles



Betonhome Pearl
60 x 60 cm. Rect. PR6060L



Betonhome Grey
60 x 60 cm. Rect. PR6060L

Rodapié Corte / Cut Skirting	SIZE	TR	PKG
60 x 60 Natural RC6060	10 x 60	24	15

Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to lay the tiles



Betonhome Grey 30 x 90 cm. Magna Betonhome Grey 30 x 90 cm. — Pavimento / Floor Tiles: Betonhome Grey 60 x 60 cm. Rectificado

Innova

Pasta blanca / White body tile



Innova Sand
30 x 60 cm. WB3060L



Innova Smoke
30 x 60 cm. WB3060L



Stuck Innova Noce
30 x 60 cm. WB3060L



Stuck Innova Grey
30 x 60 cm. WB3060L



Innova Noce
30 x 60 cm. WB3060L



Innova Grey
30 x 60 cm. WB3060L

Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to lay the tiles




Innova Grey 30 x 60 cm. Stuck Innova Grey 30 x 60 cm.

Lincoln

Pasta blanca / White body tiles

30 x 90 cm. — 11,81" x 35,43"
60 x 60 cm. — 23,62" x 23,62"



Lincoln Sand
30 x 90 cm. WB3090LB



Lincoln Silver
30 x 90 cm. WB3090LB




Track Lincoln Taupe
30 x 90 cm. WB3090LB



Track Lincoln Grey
30 x 90 cm. WB3090LB



Lincoln Taupe
30 x 90 cm. WB3090LB



Lincoln Grey
30 x 90 cm. WB3090LB

Cenefa Noa Bronze
3 x 90 cm. TR-52 [PCK. 28]


Cenefa Noa Silver
3 x 90 cm. TR-46 [PCK. 28]



Pavimento coordinado
Coordinated floor tiles



Lincoln Taupe
60 x 60 cm. Rect. PR6060LB



Lincoln Grey
60 x 60 cm. Rect. PR6060LB

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
60 x 60 RC6060	10 x 60	24	15


Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to lay the tiles




Lincoln Sand 30 x 90 cm. Track Lincoln Taupe 30 x 90 cm.— Pavimento / Floor Tiles: Lincoln Taupe 60 x 60 cm.

Lounge

Porcelánico / Porcelain tiles



Lounge Sand
60 x 120 cm. P6012L



Lounge Ash
60 x 120 cm. P6012L



Lounge Smoke
60 x 120 cm. P6012L



Rodapié Corte / Cut Skirting	SIZE	TR	PKG
60 x 120 Natural RC6012	10 x 60	29	15

Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to lay the tiles



Lounge Smoke 60 x 120 cm.


Norwik

Porcelánico / Porcelain tiles


260 x 120 cm. — 102,36" x 47,24"
 120 x 120 cm. — 47,24" x 47,24"
 60 x 120 cm. — 23,62" x 47,24"



XL



Norwik Greige Pulido
60 x 120 cm. P6012P



Norwik Greige Natural
60 x 120 cm. P6012L



Norwik Greige Natural
120 x 120 cm. P1212L

Norwik Greige Natural
260 x 120 cm. XL2612L

—
 Espesor / Thickness — 6 mm.
 Variación Gráfica / Different Pattern — 4

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
120 x 120 Natural RC1212	10 x 60	29	15
60 x 120 Natural RC6012	10 x 60	29	15
60 x 120 Pulido RC6012	10 x 60	31	15

Se aconseja uso del Sistema Nivelado
 We recommend using Levelling System to lay the tiles



Norwik Greige Natural 260 x 120 cm. — Pavimento / Floor Tiles: Norwik Greige Natural 120 x 120 cm.

Norwik

Porcelánico / Porcelain tiles

260 x 120 cm. — 102,36" x 47,24"
 120 x 120 cm. — 47,24" x 47,24"
 60 x 120 cm. — 23,62" x 47,24"



XL



Norwik Smoke Pulido
60 x 120 cm. P6012P



Norwik Smoke Natural
60 x 120 cm. P6012L



Norwik Smoke Natural
120 x 120 cm. P1212L

Norwik Smoke Natural
260 x 120 cm. XL2612L

—
 Espesor / Thickness — 6 mm.
 Variación Gráfica / Different Pattern — 4

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
120 x 120 Natural RC1212	10 x 60	29	15
60 x 120 Natural RC6012	10 x 60	29	15
60 x 120 Pulido RC6012	10 x 60	31	15

Se aconseja uso del Sistema Nivelado
 We recommend using Levelling System to lay the tiles



Norwik Smoke Natural 260 x120 cm. — Pavimento / Floor Tiles: Norwik Smoke Natural 120 x 120 cm.

Norwik

Porcelánico / Porcelain tiles

260 x 120 cm. — 102,36" x 47,24"
 120 x 120 cm. — 47,24" x 47,24"
 60 x 120 cm. — 23,62" x 47,24"



XL



Norwik Grey Pulido
60 x 120 cm. P6012P



Norwik Grey Natural
60 x 120 cm. P6012L



Norwik Grey Natural
120 x 120 cm. P1212L

Norwik Grey Natural
260 x 120 cm. XL2612L

—
 Espesor / Thickness — 6 mm.
 Variación Gráfica / Different Pattern — 4

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
120 x 120 Natural RC1212	10 x 60	29	15
60 x 120 Natural RC6012	10 x 60	29	15
60 x 120 Pulido RC6012	10 x 60	31	15

Se aconseja uso del Sistema Nivelado
 We recommend using Levelling System to lay the tiles




Norwik Grey Natural 260 x 120 cm. — Pavimento / Floor Tiles: Norwik Grey Natural 120 x 120 cm.

Puncak

Pasta blanca / White body tiles

40 x 120 cm. — 15,75" x 47,24"
60 x 60 cm. — 23,62" x 23,62"




Puncak Ivory
40 x 120 cm. WB4012L




Puncak Silver
40 x 120 cm. WB4012L



Puncak Taupe
40 x 120 cm. WB4012L



Puncak Moon
40 x 120 cm. WB4012L



Plads Puncak Taupe
40 x 120 cm. WB4012LB




Plads Puncak Moon
40 x 120 cm. WB4012LB



Pavimento coordinado
Coordinated floor tiles



Puncak Taupe
60 x 60 cm. Rect. PR6060L



Puncak Moon
60 x 60 cm. Rect. PR6060L

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
60 x 60 Natural RC6060	10 x 60	24	15

Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to lay the tiles



Puncak Moon 40 x 120 cm. Plads Puncak Moon 40 x 120 cm. — Pavimento / Floor Tiles: Puncak Moon 60 x 60 cm. Rectificado

Toga

Porcelánico / Porcelain tiles

240 x 120 cm. — 94,48" x 47,24"
 120 x 120 cm. — 47,24" x 47,24"
 60 x 120 cm. — 23,62" x 47,24"




XL



Toga Taupe
240 x 120 cm.

XL2412L



R9

Toga Taupe
60 x 120 cm.

P6012L



R9

Toga Taupe
120 x 120 cm.

P1212L

—
 Espesor / Thickness — 6 mm.
 Variación Gráfica / Different Pattern — 4

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
120 x 120 Natural RC1212	10 x 60	29	15
60 x 120 Natural RC6012	10 x 60	29	15

Se aconseja uso del Sistema Nivelado
 We recommend using Levelling System to lay the tiles




Toga Taupe 60 x 120 cm. — Pavimento / Floor Tiles: Toga Taupe 60 x 120 cm.

Toga

Porcelánico / Porcelain tiles

240 x 120 cm. — 94,48" x 47,24"
 120 x 120 cm. — 47,24" x 47,24"
 60 x 120 cm. — 23,62" x 47,24"



XL



Toga Grey
240 x 120 cm.

XL2412L



R9

Toga Grey
60 x 120 cm.

P6012L



R9

Toga Grey
120 x 120 cm.

P1212L

—
 Espesor / Thickness — 6 mm.
 Variación Gráfica / Different Pattern — 4

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
120 x 120 Natural RC1212	10 x 60	29	15
60 x 120 Natural RC6012	10 x 60	29	15

Se aconseja uso del Sistema Nivelado
 We recommend using Levelling System to lay the tiles



Toga Grey 60 x 120 cm. — Pavimento / Floor Tiles: Toga Grey 60 x 120 cm.

Toga

Porcelánico / Porcelain tiles

240 x 120 cm. — 94,48" x 47,24"
 120 x 120 cm. — 47,24" x 47,24"
 60 x 120 cm. — 23,62" x 47,24"



XL



Toga P Black
240 x 120 cm.


XL2412E



R9

Toga Black
60 x 120 cm.

P6012E



R9

Toga Black
120 x 120 cm.

P1212E

—
 Espesor / Thickness — 6 mm.
 Variación Gráfica / Different Pattern — 4

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
120 x 120 Natural RC1212	10 x 60	29	15
60 x 120 Natural RC6012	10 x 60	29	15

Se aconseja uso del Sistema Nivelado
 We recommend using Levelling System to lay the tiles



Toga Black 120 x 120 cm.